Trial Continuation – Is your general participation in the clinical trial study affected in some way by the coronavirus crisis?

Is your general participation in the clinical trial study affected in some way by the corona crisis?



Is your general participation in the clinical trial study affected in some way by the corona crisis?

Compared by study location:

Insight

Trials conducted in hospitals are more likely to be affected compared with doctor's practices and dedicated research centers





*total number of participants

Is your general participation in the clinical trial study affected in some way by the corona crisis?

Compared by age:

Insight

Younger age groups are more likely to say their participation has been is affected in some way



*total number of participants

How worried are you about exposure to the coronavirus during study visits?

Compared by age:

Insight

Younger age groups are more likely to say they are worried about COVID-19 exposure during study visits



*total number of participants

Is your general participation in the clinical trial study affected in some way by the corona crisis?

Compared by region:

Insight

Likelihood of trial participation in Latin America to be affected is 2-fold higher compared with most other regions


100*
North America
61%
39%
441*
Europe
68%
32%
115*
Latin America
62%
38%
64*
Asia Pacific
64%
36%
32*
Rest of the World
56%
44%
● No
● Yes

*total number of participants

How worried are you about exposure to the coronavirus during study visits?

Compared by region:

Insight

Study participants in Latin America and ROW much more worried about COVID-19 exposure compared with other regions


100*
North America
37%
25%
20%
7%
11%
441*
Europe
40%
32*
Rest of the World
25%
6%
22%
25%
22%



*total number of participants

Global Patient Insights Survey COVID-19 by Clariness 2021